



LP 13 - NOV 2021

SWITCHGEARS

MY SAFETY MY CHOICE

Advanced
Switchgears
for better power
distribution,
monitoring
& control



C O N T E N T S

Miniature Circuit Breaker	01
Isolator	02
Mini Changeover Switch	02
Residual Current Circuit Breaker	03
Re-wireable Switch Fuse Unit	04
Changeover Switch (Off Load)	04
Re-wireable Kit Kat Fuse Unit	05
Sheet Metal Cutout	05
Reverse & Forward Switch	05
Busbar Chamber	05
HRC Fuse Holder	05
Renove Re-wireable Switch Fuse Unit	06
Renove Changeover Switch (Off Load)	06
Magna Distribution Board	07, 08
Inspiro Distribution Board	09
AGIO Distribution Board	10
Evo Guard Mini MCB with Enclosure	11
NEX Distribution Board	12
SCION Distribution Board	13




ARMOR

Miniature Circuit Breaker (MCB)



External View



Pad Lock for
MCB dolly/knob
in ON/OFF conditions



Cable Termination
upto 25 mm² Cable



Contact Position
Indicator




Bi-Stable
Clip

SALIENT FEATURES

- Suitable for Reverse Feed Connections (Line and Load) & Rated Breaking Capacity 10 kA.
- Silver Graphite contact tips assure Antiweld Property.
- Snap-On-Back mounting for 35mm x 15mm symmetrical DIN rail.
- Terminals suitable for Cable + Bus bar termination.
- Do not tend to bulge or wrap, when high cross sectional cables are terminated.
- Coloured indication of switch-ON and OFF positions.
- Terminal capacity 1-25 mm² & Terminal fastening torque 2.0-2.5 Nm




Internal View



MINIATURE CIRCUIT BREAKER (MCB)

CAT. No.	RATING	TYPE	A	B	C	D	E	F	G
KSG400201/02/03/04/05/06/300/401/402	6A-63A	SP	50	82	45.5	44.4	66.3	71.9	17.50
KSG400601/02/03/04/05/06/700/801/802	6A-63A	SPN	50	82	45.5	44.4	66.3	71.9	35.00
KSG401001/02/03/04/05/06/1100/1201/1202	6A-63A	DP	50	82	45.5	44.4	66.3	71.9	35.00
KSG401401/02/03/04/05/06/1500/1601/1602	6A-63A	TP	50	82	45.5	44.4	66.3	71.9	52.50
KSG401801/02/03/04/05/06/1900/2001/2002	6A-63A	TPN	50	82	45.5	44.4	66.3	71.9	70.00
KSG402201/02/03/04/05/06/2300/2401/2402	6A-63A	FP	50	82	45.5	44.4	66.3	71.9	70.00



*All dimensions in millimeter.

*Dimension may vary ± 0.5 mm.

Miniature Circuit Breaker

10 kA

C - Series



Single Pole



Single Pole - N



Double Pole

Rating / Amps.	Item Code	M.R.P. Per Unit (₹)	Pkg. Unit	Item Code	M.R.P. Per Unit (₹)	Pkg. Unit	Item Code	M.R.P. Per Unit (₹)	Pkg. Unit
6 Amp.	KSG400201	240.00	144	KSG400601	780.00	72	KSG401001	820.00	72
10 Amp.	KSG400202	240.00	144	KSG400602	780.00	72	KSG401002	820.00	72
16 Amp.	KSG400203	240.00	144	KSG400603	780.00	72	KSG401003	820.00	72
20 Amp.	KSG400204	240.00	144	KSG400604	780.00	72	KSG401004	820.00	72
25 Amp.	KSG400205	240.00	144	KSG400605	780.00	72	KSG401005	820.00	72
32 Amp.	KSG400206	240.00	144	KSG400606	780.00	72	KSG401006	820.00	72
40 Amp.	KSG400300	445.00	144	KSG400700	920.00	72	KSG401100	990.00	72
63 Amp.	KSG400402	505.00	144	KSG400802	1070.00	72	KSG401202	1160.00	72

Miniature Circuit Breaker

10 kA

C - Series



Three Pole



Three Pole - N



Four Pole

Rating / Amps.	Item Code	M.R.P. Per Unit (₹)	Pkg. Unit	Item Code	M.R.P. Per Unit (₹)	Pkg. Unit	Item Code	M.R.P. Per Unit (₹)	Pkg. Unit
6 Amp.	KSG401401	1190.00	48	KSG401801	1570.00	36	KSG402201	1620.00	36
10 Amp.	KSG401402	1190.00	48	KSG401802	1570.00	36	KSG402202	1620.00	36
16 Amp.	KSG401403	1190.00	48	KSG401803	1570.00	36	KSG402203	1620.00	36
20 Amp.	KSG401404	1190.00	48	KSG401804	1570.00	36	KSG402204	1620.00	36
25 Amp.	KSG401405	1190.00	48	KSG401805	1570.00	36	KSG402205	1620.00	36
32 Amp.	KSG401406	1190.00	48	KSG401806	1570.00	36	KSG402206	1620.00	36
40 Amp.	KSG401500	1575.00	48	KSG401900	1930.00	36	KSG402300	1940.00	36
63 Amp.	KSG401602	1857.00	48	KSG402002	2295.00	36	KSG402402	2300.00	36

Isolator



Double Pole



Three Pole



Four Pole

Rating / Amps.	Item Code	M.R.P. Per Unit (₹)	Pkg. Unit	Item Code	M.R.P. Per Unit (₹)	Pkg. Unit	Item Code	M.R.P. Per Unit (₹)	Pkg. Unit
25 Amp.	KSG402500	475.00	72	KSG403100	780.00	48	KSG403700	1040.00	36
40 Amp.	KSG402600	490.00	72	KSG403200	810.00	48	KSG403800	1085.00	36
63 Amp.	KSG402700	720.00	72	KSG403300	1100.00	48	KSG403900	1550.00	36
100 Amp.	KSG402900	905.00	72	KSG403500	1290.00	48	KSG404100	1700.00	36

Mini Changeover Switch



Double Pole



Four Pole

Rating / Amps.	Item Code	M.R.P. Per Unit (₹)	Pkg. Unit	Item Code	M.R.P. Per Unit (₹)	Pkg. Unit
25 Amp.	KSG404300	1260.00	72	KSG404600	2255.00	36
40 Amp.	KSG404400	1335.00	72	KSG404700	2375.00	36
63 Amp.	KSG404500	1620.00	72	KSG404800	2895.00	36

Residual Current Circuit Breaker (RCCB)



Double Pole

Rating / Amps.	Item Code	M.R.P. Per Unit (₹)	Sensitivity	Item Code	M.R.P. Per Unit (₹)	Sensitivity	Item Code	M.R.P. Per Unit (₹)	Sensitivity	Pkg. Unit
25 Amp.	KSG404902	2475.00	30 mA	KSG405402A	2475.00	100 mA	KSG405402B	2475.00	300 mA	72
40 Amp.	KSG405000	2475.00	30 mA	KSG405501A	2475.00	100 mA	KSG405501B	2475.00	300 mA	72
63 Amp.	KSG405100	3450.00	30 mA	KSG405601A	2990.00	100 mA	KSG405601B	2990.00	300 mA	72
80 Amp.	KSG405200	4815.00	30 mA	KSG405701A	4605.00	100 mA	KSG405701B	4605.00	300 mA	72
100 Amp.	KSG405300	4950.00	30 mA	KSG405801A	4705.00	100 mA	KSG405801B	4705.00	300 mA	72



Four Pole

Rating / Amps.	Item Code	M.R.P. Per Unit (₹)	Sensitivity	Item Code	M.R.P. Per Unit (₹)	Sensitivity	Item Code	M.R.P. Per Unit (₹)	Sensitivity	Pkg. Unit
25 Amp.	KSG405902	3070.00	30 mA	KSG406402A	3070.00	100 mA	KSG406402B	3070.00	300 mA	36
40 Amp.	KSG406000	3070.00	30 mA	KSG406501A	3070.00	100 mA	KSG406501B	3070.00	300 mA	36
63 Amp.	KSG406100	3795.00	30 mA	KSG406601A	3665.00	100 mA	KSG406601B	3665.00	300 mA	36
80 Amp.	KSG406200	4950.00	30 mA	KSG406701A	5160.00	100 mA	KSG406701B	5160.00	300 mA	36
100 Amp.	KSG406300	5300.00	30 mA	KSG406801A	5435.00	100 mA	KSG406801B	5435.00	300 mA	36

NUEVO

Rewireable Switch Fuse (Single Break)
Change Over Switch (Off Load)



Rewireable Switch Fuse (Single Break)

Item Code	Rating / Amps.	Pkg. Unit	M.R.P. Per Unit (₹)
SPN			
KSG2051	16A / 240V.	18	940.00
KSG2052	32A / 240V.	8	1950.00
DP			
KSG2053	16A / 240V.	18	960.00
KSG2054	32A / 240V.	8	2080.00
TP			
KSG2055	16A / 415V.	6	2570.00
KSG2056	32A / 415V.	4	3250.00
KSG2057	63A / 415V.	2	7770.00
KSG2058	100A / 415V.	1	15420.00
KSG2059	200A / 415V.	1	20505.00
TPN			
KSG2055(N)	16A / 415V.	6	2660.00
KSG2056(N)	32A / 415V.	4	3335.00
KSG2057(N)	63A / 415V.	2	7915.00
KSG2058(N)	100A / 415V.	1	15610.00
KSG2059(N)	200A / 415V.	1	20715.00
FP			
KSG2060	32A / 415V.	4	3705.00

HSN Code - 85362090

Change Over Switch (Off Load)

DP			
KSG2061	32A / 240V.	8	2350.00
KSG2062	63A / 240V.	4	6215.00
KSG2063	100A / 240V.	2	9665.00
TP			
KSG2064	32A / 415V.	4	2950.00
FP			
KSG2065	16A / 415V.	6	2860.00
KSG2066	32A / 415V.	4	3615.00
KSG2067	63A / 415V.	2	9660.00
KSG2068	100A / 415V.	1	15325.00
FP (Knife Type)			
KSG2069	63A / 415V.	2	15370.00
KSG2070	100A / 415V.	2	16225.00
KSG2071	200A / 415V.	1	30650.00
KSG2072	320A / 415V.	1	35965.00



Porcelain Fuse Units

Item Code	Rating / Amps.	Type	Pkg. Unit	M.R.P. Per Unit (₹)
KSG2023	16A / 240V.	Pilot	120	100.00
KSG2024	16A / 415V.	Pilot	80	175.00
KSG2025	32A / 415V.	Excell	40	273.00
KSG2025H	32A / 415V.	Excell Handle Type	40	273.00
KSG2026	63A / 415V.	Excell	18	680.00
KSG2026H	63A / 415V.	Excell Handle Type	18	680.00
KSG2027	100A / 415V.	Excell	12	1270.00
KSG2028	200A / 415V.	Excell	8	2190.00
KSG2077	200A / 415V.	Fitting with legs	3	2510.00
KSG2029	300A / 415V.	Fitting with legs	3	3170.00
KSG2030	500A / 415V.	Fitting with legs	3	3955.00



TURBO SERIES

KSG2031	63A / 415V.	Turbo	20	640.00
KSG2032	100A / 415V.	Turbo	12	1565.00
KSG2033	200A / 415V.	Turbo	8	3205.00
KSG2034	200A / 415V.	Fitting with Legs	8	3710.00



Sheet Metal Cut-outs

KSG2035	16A / 240V.		40	380.00
KSG2036	32A / 415V.		20	615.00
KSG2037	63A / 415V.		6	1490.00
KSG2038	100A / 415V.		6	2245.00

HSN Code - 85365010



Reverse Forwarding Switch

Plastic Handle

KSG2039	16A / 415V.		30	795.00
KSG2040	25A / 415V.		20	1330.00
KSG2041	32A / 415V.		20	2185.00

Metal Handle

KSG2042	16A / 415V.		30	990.00
KSG2043	25A - 32A / 415V.		20	1715.00

HSN Code - 85369030



Busbar Chamber

KSG2046	32Amp. 4 Way		8	2470.00
KSG2047	63Amp. 4 Way		6	3185.00
KSG2048	100Amp. 4 Way		4	5005.00
KSG2049	200Amp. 4 Way		2	7515.00

HSN Code - 85361020



HRC Fuse Holder

KSG2073	20Amp.		120	300.00
KSG2074	32Amp.		120	385.00
KSG2075	63Amp.		80	580.00
KSG2076	125Amp.		48	1435.00



fybros

PUSH

fybros

IS/IEC 60947-3:2012



CW1-853025114



ReNOVE

Rewireable Switch Fuse (Single Break)
Change Over Switch (Off Load)

Rewireable Switch Fuse (Single Break)

Item Code	Rating / Amps.	Pkg. Unit	M.R.P. Per Unit (₹)
SPN			
KSG2101	16A / 240V.	18	940.00
KSG2102	32A / 240V.	8	1950.00
DP			
KSG2103	16A / 240V.	18	960.00
KSG2104	32A / 240V.	8	2080.00



HSN Code - 85362090

Change Over Switch (Off Load)


DP			
KSG2111	32A / 240V.	8	2350.00



Automatic Change Over Switch

Item Code	Rating / Amps.	Pkg. Unit	M.R.P. Per Unit (₹)
DP			
KSG2201	32Amp.	8	3050.00
KSG2202	63Amp.	6	8680.00
FP			
KSG2203	32Amp.	4	9625.00
KSG2204	63Amp.	3	18770.00






MAGNA
DISTRIBUTION BOARD



SALIENT FEATURES

- Aesthetic new MAGNETIC LOCK.
- Complete Shock Proof by earthing on door for extra protection.
- Equipped with insulated Copper Bus bar rating upto 100A that prevents short circuit current.
- Ample wiring space is provided to ensure proper distribution of Neutral and Earth wires.
- Masking sheet (Cement Guard) offers added safety by preventing cement from entering.
- IP - 43

SPN DOUBLE DOOR					ø 26+32, K'OUT TOP/BOTTOM	ø 32, K'OUT LH/RH SIDE
No. of Ways	CAT. No.	A	B	C		
4	KDB3310	149	89	179	(2+1) / (2+1) Nos.	1 / 1 No.
6	KDB3311	172	112	202	(2+1) / (2+1) Nos	1 / 1 No.
8	KDB3312	249	189	279	(2+1) / (2+1) Nos	1 / 1 No.
12	KDB3313	321	261	351	(4+1) / (4+1) Nos	1 / 1 No.
16	KDB3314	393	333	423	(4+1) / (4+1) Nos	1 / 1 No.



Distribution Board

Item Code	No. of Ways	To Accommodate Incoming + Outgoing	Pkg. Unit	M.R.P. Per Unit (₹)
SPN - MCB ENCLOSURE				
KDB3301	1	1	40	275.00
KDB3302	2	2	40	275.00
KDB3303	3	3	24	370.00
KDB3304	4	4	24	370.00
SPN - SD				
Sheet Steel Enclosures for Flush/Surface Mounting with Bus Bars (Without MCB's)				
KDB3306	6	6	16	825.00
KDB3307	8	8	12	940.00
KDB3308	12	12	10	1290.00
KDB3309	16	16	10	1435.00
SPN - DD				
Sheet Steel Enclosures with Double Door, Detachable Gland Plates for Flush/Surface Mounting with Bus Bars Neutral Links & Earth Bar (Without MCB's)				
KDB3310	4	4	8	1700.00
KDB3311	6	6	8	2010.00
KDB3312	8	8	6	2355.00
KDB3353	10	10	6	2630.00
KDB3313	12	12	4	2875.00
KDB3314	16	16	4	3445.00
TPN - DD				
Sheet Steel Enclosures with Double Door, Detachable Gland Plates for Flush/Surface Mounting for MCB's fitted with Bus Bars Neutral Links & Earth Bar (Without MCB's)				
KDB3315	4	6+12	4	4735.00
KDB3316	6	8+18	2	5440.00
KDB3317	8	8+24	2	6385.00
KDB3318	12	8+32	2	8280.00
PHASE SELECTOR - DD				
(Without MCB's)				
KDB3319	4	6+12	3	5925.00
KDB3320	4 (with 40 Amp. Rotary Switches & Wiring)	6+12	3	10690.00
KDB3321	4 (with 63 Amp. Rotary Switches & Wiring)	6+12	3	10765.00
KDB3325	6	8+18	2	7575.00
KDB3326	6 (with 40 Amp. Rotary Switches & Wiring)	8+18	2	13500.00
KDB3327	6 (with 63 Amp. Rotary Switches & Wiring)	8+18	2	14205.00
KDB3328	8	8+24	2	8745.00
KDB3329	8 (with 40 Amp. Rotary Switches & Wiring)	8+24	2	14800.00
KDB3330	12	8+32	2	10890.00
KDB3331	12 (with 63 Amp. Rotary Switches & Wiring)	8+32	2	18935.00



Phase Selector

Item Code	No. of Ways	To Accommodate Incoming + Outgoing	Pkg. Unit	M.R.P. Per Unit (₹)
KDB3332	25 / 32 Amp.		8	855.00
KDB3333	40 / 63 Amp.		8	1200.00
KDB3334	32 Amp. (with Rotary Switches & Wiring)		8	5220.00
KDB3335	40 Amp. (with Rotary Switches & Wiring)		8	6950.00
KDB3336	63 Amp. (with Rotary Switches & Wiring)		8	7450.00



Plug & Socket Enclosures

In Sheet Steel Enclosures (Without MCB's)

KDB3337	20 Amp. SPN (AC Box)	20	915.00
KDB3341	20 Amp. SPN Enclosure	40	400.00
KDB3342	20 Amp. SPN Enclosure (With Plug & Socket)	30	905.00



Metal Clad Plug & Sockets

KDB3343	20 Amp.	2 P + E Plugs	160	245.00
KDB3346	20 Amp.	2 P + E Sockets	160	245.00



HSN Code - 85365010

Cam Operated Rotary Switch

KDB3349	25 Amp.	80	530.00
KDB3350	32 Amp.	80	655.00
KDB3351	40 Amp.	40	830.00
KDB3352	63 Amp.	40	930.00





INSPIRO
DISTRIBUTION BOARD

Available in Metal & Plastic Base

Distribution Board

METAL BASE

Item Code	No. of Ways	To Accommodate Incoming + Outgoing	Pkg. Unit	M.R.P. Per Unit (₹)
SPN				
KDB3211	4	4	8	1820.00
KDB3212	6	6	8	2080.00
KDB3213	8	8	6	2310.00
KDB3214	12	12	4	2880.00
KDB3215	16	16	4	3500.00



METAL BASE

Item Code	No. of Ways	To Accommodate Incoming + Outgoing	Pkg. Unit	M.R.P. Per Unit (₹)
TPN				
KDB3216	4	4+12	3	4045.00



PLASTIC BASE

Item Code	No. of Ways	To Accommodate Incoming + Outgoing	Pkg. Unit	M.R.P. Per Unit (₹)
SPN				
KDB3217	4	4	8	1520.00
KDB3218	6	6	8	1760.00
KDB3219	8	8	6	1990.00
KDB3220	12	12	4	2590.00
KDB3221	16	16	4	3110.00




Distribution Boards

Item Code	No. of Ways	To Accommodate Incoming + Outgoing	Pkg. Unit	M.R.P. Per Unit (₹)
SPN - DD Sheet Steel Enclosures with Double Door, Detachable Gland Plates for Flush/Surface Mounting with Bus Bars Neutral Links & Earth Bar (Without MCB's)				
KDB3035	4	4	8	1500.00
KDB3036	6	6	8	1840.00
KDB3037	8	8	6	2035.00
KDB3038	12	12	6	2465.00
KDB3039	16	16	4	2940.00
KDB3040	10	10	6	2175.00



PHASE SELECTOR - DD			(Without MCB's)	
KDB3050 (JR)	63 Amp.	4	3	4750.00
KDB3051 (JR)	40 Amp. (with Rotary Switches & Wiring)	4	3	9310.00
KDB3052 (JR)	63 Amp. (with Rotary Switches & Wiring)	4	3	9910.00



Meter Box (Enclosure)

KDB3023	32 Amp. SPN	3	3060.00
KDB3024	63 Amp. TPN	2	5050.00



EVO GUARD

Mini MCB with Enclosure

32Amp. 240V ~ 50Hz

fybros
SMART ELECTRICAL CREATIONS

HSN Code - 85362020



Features

- Compact & elegant enclosure
- Safety assured
- Protection from overload & short circuit
- Breaking capacity, 3kA
- Sleek power supply indication
- Quick & easy installation

Maximum Retail Price. in ₹ (Incl. of all taxes)

CODE	ITEM	PER UNIT
8068	EVO GUARD Mini MCB with Enclosure	₹ 565. 00

ZINE
SERIES

Product Code 8068

Distribution Boards

Item Code	No. of Ways	Pkg. Unit	M.R.P. Per Unit (₹)
SPN - MCB ENCLOSURE			
KDB3079	1	40	245.00
KDB3080	2	40	245.00
KDB3081	3	24	365.00
KDB3082	4	24	365.00
SPN - SD			
Sheet Steel Enclosures for Flush/Surface Mounting with Bus Bars (Without MCB's)			
KDB3083	4	24	580.00
KDB3084	6	20	705.00
KDB3085	8	16	800.00
KDB3086	10	16	930.00
KDB3087	12	12	1040.00
KDB3088	16	12	1300.00
SPN - DD			
Sheet Steel Enclosures with Double Door, Detachable Gland Plates for Flush/Surface Mounting with Bus Bars Neutral Links & Earth Bar (Without MCB's)			
KDB3089	4	12	1070.00
KDB3090	6	12	1240.00
KDB3091	8	10	1435.00
KDB3092	10	10	1590.00
KDB3093	12	8	1775.00
KDB3094	16	8	2130.00
TPN - SD			
Sheet Steel Enclosures with Double Door, Detachable Gland Plates for Flush/Surface Mounting for MCB's fitted with Bus Bars Neutral Links & Earth Bar (Without MCB's)			
KDB3095	4	----	1870.00
KDB3096	6	----	2290.00
KDB3097	8	----	2710.00
TPN - DD			
Sheet Steel Enclosures with Double Door, Detachable Gland Plates for Flush/Surface Mounting for MCB's fitted with Bus Bars Neutral Links & Earth Bar (Without MCB's)			
KDB3098	4	4	3030.00
KDB3099	6	2	3595.00
KDB3100	8	2	4220.00
KDB3103	12	2	5265.00
ENCLOSURE			
KDB3101	Rotary Box	20	780.00
KDB3102	MCCB Box	----	1510.00





Item Code	No. of Ways	To Accommodate Incoming + Outgoing	Pkg. Unit	M.R.P. Per Unit (₹)
SPN - DD				
KDB3001	4 WAY	4	8	1825.00
KDB3002	6 WAY	6	8	1855.00
KDB3003	8 WAY	8	6	2345.00
KDB3004	12 WAY	12	4	2730.00
KDB3005	16 WAY	16	4	3740.00



First Aid in case of Electric Shock

Which factors cause an electric shock?

Contact with live wires is often fatal. The intensity of a shock depends on

- Voltage
- Type of current
- Length of exposure time
- Path it takes through the body (heart or head are the most dangerous routes)

What can happen if you get an electric shock?

- Heart Failure (cardiac arrest)
- Burns
- Nerve, Muscle, and Organ Damage

Human body's reaction to electric shock

When excessive electrical currents pass through the human body, the nervous system is thrown out of gear. This causes the body to react to the passage of current through it as follows :



3 mA - A tingling sensation is felt



10-15 mA - Muscle spasm and tightening occurs



20-30 mA - The heart may fibrillate; severe shock is felt



>50 mA - Lethal. Fibrillation of the heart occurs



Do's in case of electrical shock :

To treat a person who has sustained electrical injury:

- ✓ Unplug the appliance and/or turn off the MCB (at the fuse box)
 - (Merely turning the switch off will not necessarily stop the flow of current)
- ✓ Call an ambulance
- ✓ If the victim is not breathing, immediately begin mouth-to-mouth resuscitation



- ✓ To prevent shock:
 - Place the victim's feet higher than the head by about a foot
 - Cover person with a blanket or coat if available



- ✓ Check for indications of shock:
 - Cold, Moist Skin
 - Fast Heartbeat
 - Paleness
 - Feeling Faint

SAFETY FIRST - SAFETY ALWAYS



- ✓ Check for burns, which may not be visible from the outside.
Sites to inspect in particular are:
 - The fingers and toes
 - Skin touching against metal accessories like jewellery or a belt buckle
- ✓ Take off any clothing over the burn-but only if it comes away without pulling skin along with it
- ✓ As long as the skin is unbroken, you can rinse the burn in cool, running water to ease pain
- ✓ Cover any surface burns with a sterile dressing or clean cloth
- ✓ Separate burnt fingers or toes with the dressing
- ✓ Take the victim to the emergency room-even if the person is breathing, is conscious, and insists that he is all right

Don'ts in case of electrical shock :

- ✗ Do not touch the person with your bare hands before you are certain there is no live electricity

WARNING: Never move the person if they are touching a power line or other source of high voltage. Under such circumstances keep a distance of at least 20 feet

- ✗ The above precautions are for your own safety.

CAUTION: For the safety of the victim, do not move him/her if spinal injury is possible from an explosion or fall associated with the accident.

- ✗ Do not remove clothing that is stuck to the wound
 - Never put ice on a burn
 - Do not apply ointments or grease to burned skin (as with burns from flames)
- ✗ Do not bandage with a towel, blanket, or cotton dressing that will stick to the wound.
(Instead, use a sheet for large area)
- ✗ Take care not to break any blisters that have formed
- ✗ Shield the burned area from chafing

What should you do if not sure if the power is off?

If turning off the electricity is impossible or you can't tell whether it is off (unless it is high-voltage current), then to approach the victim:

- ✓ Stand on a mat (preferably rubber, but piled up newspapers/magazines could be used if necessary), and
- ✓ Extend a wooden or cloth object, such as a
 - Broom handle
 - Chair
 - Piece of clothing
 - Rope

Terms & Conditions:

- GST extra as applicable
- Claims of any damages, shortages shall be filed by the Purchaser with the Transporter
- Any disputes are subject to Delhi Jurisdiction
- This price list supersedes all our previous price lists
- Prices are subject to without prior notice

BALAR MARKETING PVT. LTD.

Regd. Corporate Office: 217, Functional Industrial Estate,
Patparganj, Delhi - 110 092, INDIA.

Tel.: + 91-11-22169644, 47640747

Email: switchgear@kundancab.in, Website: www.fybros.com

TOLL FREE CUSTOMER SUPPORT

1800-270-6334

We shall meet your expectations, if given a chance to serve you with tailor-made products specially developed as per your requirement.
Our quality and our services by our highly dedicated workforce shall be available at your doorstep whenever you need.

